



दि. 19/03/2025.

15 वित्त आयोगांतर्गत (BPHU) कंत्राटी पदभरती जाहिरात
जिल्हा एकात्मिक आरोग्य व कुटुंब कल्याण सोसायटी, नंदुरबार बाबत सुचना
सन -2025-26

जिल्हा आरोग्य एकात्मिक आरोग्य व कुटुंब कल्याण सोसायटी, नंदुरबार मार्फत 15 वा वित्त आयोगांतर्गत (BPHU) विविध कंत्राटी पदाकरिता दि.16/08/2024 पर्यंत अर्ज सादर करणेबाबत जाहिरात प्रसिध्द करण्यात आली होती. सदर जाहिरातीनुसार प्राप्त अर्जांची छाननी करून पात्र व अपात्र उमेदवारांची यादी www.zpndbr.in व <https://nrhm.maharashtra.gov.in/careers.htm> या वेबसाईट वर प्रकाशित करण्यात येत आहे.

- ज्या उमेदवारांचे अर्ज अपात्र यादीत कागदपत्रांच्या अभावी आहेत. अशा उमेदवारांना कागदपत्रांची पूर्तता करण्यासाठी तसेच ज्या उमेदवारांना हरकती अथवा आक्षेप घ्यावयाचे असतील त्यांनी लेखी स्वरूपात दिनांक 19/03/2025 ते 24/03/2025 या कालावधीत कार्यालयीन वेळेत राष्ट्रीय आरोग्य अभियान, आरोग्य विभाग, जिल्हा परिषद, नंदुरबार येथे आपल्या हरकती नोंदवाव्यात.
- सदर कालावधीत हा फक्त लिखित स्वरूपात आक्षेप, हरकती व कागदपत्रांची पूर्तता By Hand/ nhmnbrestablishment@gmail.com या आयडी वर नोंदवाव्यात तसेच दिनांक 24/03/2025 सायं 6 वाजेपर्यंत नंतर आलेल्या उमेदवारांच्या कोणत्याही हरकतीची दखल घेण्यात येणार नाही यांची नोंद घ्यावी.


अति.जिल्हा आरोग्य अधिकारी तथा
जिल्हा कार्यक्रम व्यवस्थापक,
रा.आ.अ.जि.प.नंदुरबार


जिल्हा आरोग्य अधिकारी
जिल्हा परिषद, नंदुरबार

Public Health Sepcialist या संवर्गाची पात्र यादी


SR.NO	FORM NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATER GOY	CASTE CERTIFIC ATE / VALIDITY	Graduation details		MPH/MHA/MBA/ N HEALTH qualification details		ADDITIONAL QUALIFICATION		VALID REG. CERTI	REG. CERTI. NO.	GOVT.EXPERICENCE		REMARK
								QUALIFI CATION	%	QUALIFI CATION	%	QUALIFI CATION	%			ORG.NAME	PERIOD IN YEARS	
1	2	3	4	9	11	14	15			20	23	24	27	28	29	30	31	32
1	6	Khairanaar Chitraganee Pandurang	Public Health Sepcialist	05/06/1995	FEMALE	OPEN	YES	BAMS	63.36	MPH	67.14	NA	NA	YES	I-87411-A	PHC Natawad	3Years	ACCEPETED
2	16	Patil Pradeep Diliprao	Public Health Sepcialist	15/09/1985	MALE	OBC	YES	BHMS	59.52	MPH	64.80	NA	NA	YES	NA	State family welfare bureau, NHM Zp Nandurbar	5 Years 11 Month 13 Days	ACCEPETED




अति.जिल्हा आरोग्य अधिकारी तथा
जिल्हा कार्यक्रम व्यवस्थापक,रा.आ.अ.जि.प.नंदुरबार



जिल्हा माता व बालसंगोपन अधिकारी
जि.प.नंदुरबार



जिल्हा आरोग्य अधिकारी,
जि.प.नंदुरबार



जिल्हा सल्यविकित्सक,
जि.प.नंदुरबार



मुख्य कार्यकारी अधिकारी
जि.प.नंदुरबार

Public Health Sepcialist या संवर्गाची अपात्र यादी

SR.NO	FORM NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	CASTE CERTIFICATE / VALIDITY	Graduation details		MPH/MHA/MBA/IN HEALTH qualification details		ADDITIONAL QUALIFICATION		VALID REG. CERTI	REG. CERTI. NO.	GOVT.EXPERIENCE		REMARK	REASON OF REJECTON
							QUALIFICATION	%	QUALIFICATION	%	QUALIFICATION	%			ORG.NAME	PERIOD IN YEARS		
1	2	3	4	9	11	15			20	23	24	27	28	29	30	31	32	33
1	1	Kelode AkshayKumar Yashvantrao	Public Health Sepcialist	10/02/1995	MALE	YES	B Tech Cosmetic	72.50	MBA	89.8	NA	NA	NO	NA	NA	NA	REJECTED	Essential Graduation Qualification Criteria Not Fulfilled
2	2	Kokani Kamala Rajesh	Public Health Sepcialist	18/06/2000	FEMALE	YES	Pharmacy	61.60	NA	NA	NA	NA	NO	NA	Shri Pharma	2 Years 10 Month	REJECTED	Essential Qualification Criteria Not Fulfilled
3	3	Valvi Vipul Kilya	Public Health Sepcialist	20/01/1994	MALE	YES	Nursing GNM	72.67	NA	NA	NA	NA	YES	XLVI-3783	Patel Surgical,DH Nandurbar& Vidyasaroj Critical Care	3 Years 2 Month	REJECTED	Essential Qualification Criteria Not Fulfilled
4	4	Patil Rahul Sunil	Public Health Sepcialist	30/04/1999	MALE	YES	B Pharmacy	62.00	NA	NA	NA	NA	NO	NA	Shubham Medical Nandurbar	1 Year 8 Month	REJECTED	Essential Qualification Criteria Not Fulfilled
5	5	Valvi Aakash Ravidas	Public Health Sepcialist	11/10/1997	MALE	YES	Nursing GNM	74.60	NA	NA	NA	NA	NO	NA	RH Khandbara	10 Month	REJECTED	Essential Qualification Criteria Not Fulfilled
6	7	Patil Bhupendra Chotulal	Public Health Sepcialist	23/12/1995	MALE	NO	D pharm,BSC Medi Lab Tech.	62.71	NA	NA	NA	NA	NO	NA	Neotech Path Lab	7 Month	REJECTED	Essential Qualification Criteria Not Fulfilled & Caste Certificate Not Attached
7	8	Borase Himanshu Bhatu	Public Health Sepcialist	09/07/1999	MALE	YES	D Pharm	79.10	NA	NA	NA	NA	NO	NA	NA	NA	REJECTED	Essential Qualification Criteria Not Fulfilled
8	9	Rawatale Hitesh Kamasingh	Public Health Sepcialist	04/09/1990	MALE	YES	BA	45.33	MBA	62.30	NA	NA	NO	NA	NA	NA	REJECTED	Essential Qualification Criteria Not Fulfilled
9	10	Wagh Harish Rajendra	Public Health Sepcialist	19/10/2003	MALE	YES	D Pharm	56.27	NA	NA	NA	NA	NO	NA	RH Visarwadi	1 Year	REJECTED	Masters Degree Criteria Not Fulfilled
10	11	Valvi Kritika Vikram	Public Health Sepcialist	04/11/2000	FEMALE	YES	Bsc Nursing	69.60	NA	NA	NA	NA	YES	II-38028	NA	NA	REJECTED	Masters Degree Criteria Not Fulfilled
11	12	Pawara Rahul Damu	Public Health Sepcialist	28/04/1996	MALE	YES	BE Electrical	87.47	MBA	Fail	NA	NA	NO	NA	NA	NA	REJECTED	Masters Degree Criteria Not Fulfilled
12	13	Gavit Arpita Jayant	Public Health Sepcialist	29/01/1999	FEMALE	YES	B.A.M.S	59.55	NA	NA	NA	NA	YES	I-112506A	NA	NA	REJECTED	Masters Degree Criteria Not Fulfilled
13	14	Ambarte Pooja Sunil	Public Health Sepcialist	03/12/1988	FEMALE	YES	BHMS	62	PG Diploma in Health Managemeni	67.50	NA	NA	NO	NA	NA	NA	REJECTED	Registration & NCI Not Attached
14	15	Gaikwaad Sagita Devman	Public Health Sepcialist	06/01/1995	FEMALE	YES	MSW	74.86	M.Phil Psychiatric	63.2	NA	NA	NO	NA	NA	NA	REJECTED	Essential Qualification Criteria Not Fulfilled

SL

W

SR.NO	FORM NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	CASTE CERTIFICATE / VALIDITY	Graduation details		MPH/MHA/MBA/IN HEALTH qualification details		ADDITIONAL QUALIFICATION		VALID REG. CERTI	REG. CERTI. NO.	GOVT.EXPERIENCE		REMARK	REASON OF REJECTON
							QUALIFICATION	%	QUALIFICATION	%	QUALIFICATION	%			ORG.NAME	PERIOD IN YEARS		
15	17	Chavan Shaswat Balaji	Public Health Sepcialist	18/06/1998	MALE	YES	Bsc Nursing	63.8	MPH	65.00	NA	NA	YES	XXII7987	Path	4 Month	REJECTED	Essential Graduation Qualification Criteria Not Fulfilled

अति.जिल्हा आरोग्य अधिकारी तथा
जिल्हा कार्यक्रम व्यवस्थापक, रा.आ.अ.जि.प.नंदुरबार

जिल्हा माता व बालसंगोपन अधिकारी
जि.प.नंदुरबार


जिल्हा आरोग्य अधिकारी,
जि.प.नंदुरबार


जिल्हा शस्त्रचिकित्सक,
जि.प.नंदुरबार


मुख्य कार्यकारी अधिकारी
जि.प.नंदुरबार


Entomologists या संवर्गाची पात्र यादी


SR.NO	FORM NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATER GOY	CASTE CERTIFICATE / VALIDITY	M.Sc.ZOOLOGY		ADDITIONAL QUALIFICATION		EXPERIENCE		REMARK
								QUALIFICATION	%	QUALIFICATION	%	ORG.NAME	PERIOD IN YEARS	
1	2	3	4	9	11	14	15	20	23	24	27	28	29	30
1	1	Valvi Dharsing Bokhya	Entomologists	08-12-91	MALE	ST	YES	M.Sc.ZOOLOGY	53.00	NA	NA	MSG Art,Science,Commerce Collage Tho Office Guhaghar	5 Year 5 Month	ACCEPETED
2	3	Turukamane Ravindra Nathuji	Entomologists	12-01-92	MALE	SC	YES	M.Sc.ZOOLOGY	71.80	NA	NA	MGM Medical College,Ajinkya Industrial,DH Hingoli	5. Years 5 Month 15 Days	ACCEPETED
3	10	Vasave Abhijeet Bapu	Entomologists	05-01-88	MALE	ST	YES	M.Sc.ZOOLOGY	65.55	Pet exam Clear	NA	L.K Dr P.R AC sci College dhule	6 Year	ACCEPETED
4	15	Patil Saksni Shiram	Entomologists	29/05/1997	FEMALE	OBC	YES	M.Sc.ZOOLOGY	74.70	NA	NA	NHM Tho Office Kalyan,Balaji agro M2dc Jalgaon	5 Years 7 Month	ACCEPETED
5	35	Valvi Amshya Bhamata	Entomologists	06-01-90	MALE	ST	YES	M.Sc.ZOOLOGY	47.50	NA	NA	Ashramshala ganeshPur Sakri	5 Years	ACCEPETED
6	36	Gavit Ravindra Revanji	Entomologists	10-08-89	MALE	ST	YES	M.Sc.ZOOLOGY	54.50	NA	NA	R.N Cooper,Unani College & Hosp.akkalkuwa,NHM RH Dhadgaon ,Blood Bank civil Nandurbar	5 Years 4 Month	ACCEPETED
7	38	Nikum Rajesh Jaysing	Entomologists	01-09-94	MALE	ST	YES	M.Sc.ZOOLOGY	46.50	NA	NA	Krishna diag Lab Shahda, Mataji Sevabhavi sanstha Islampur	7 Years	ACCEPETED
8	40	Gavit Prashant Jahangir	Entomologists	19/08/1982	MALE	ST	YES	M.Sc.ZOOLOGY	71.20	NA	NA	Agrawal College Navapur	7 Years	ACCEPETED


अति.जिल्हा आरोग्य अधिकारी तथा जिल्हा कार्यक्रम व्यवस्थापक,रा.आ.अ.जि.प.नंदुरबार


जिल्हा माता व बालसंगोपन अधिकारी
जि.प.नंदुरबार


जिल्हा वन्यजीव अधिकारी,
जि.प.नंदुरबार


जिल्हा शाल्यचिकित्सक,
जि.प.नंदुरबार


मुख्य कार्यकारी अधिकारी
जि.प.नंदुरबार

Entomologists या संवर्गाची अपात्र यादी

SR.NO.	FORM NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATER GOY	CASTE CERTIFICATE / VALIDITY	M.Sc.ZOOLOGY		ADDITIONAL QUALIFICATION		EXPERIENCE		REMARK	REASON OF REJECTON
								QUALIFICATION	%	QUALIFICATION	%	ORG.NAME	PERIOD IN YEARS		
1	2	3	4	9	11	14	15	20	23	24	27	28	29	30	31
1	2	Padavi Saising Hatya	Entomologists	03/10/1994	MALE	ST	YES	M.Sc.ZOOLOGY	74.30	NA	NA	NO	NO	REJECTED	Experience Criteria Not Fulfilled
2	4	Shikh Vasim Jinimiya	Entomologists	30/1/1989	MALE	VJ A	YES	M.Sc.ZOOLOGY	51.40	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled
3	5	Saiyaad Saifali asifali	Entomologists	09/04/1993	MALE	EWS	NO	M.Sc.BOTANY	NA	NA	NA	NA	NA	REJECTED	Essential Qualification Criteria Not Fulfilled
4	6	Satone Karishma Bholaji	Entomologists	03/08/2000	FEMALE	OBC	YES	M.Sc.ZOOLOGY	69.00	NA	NA	Dr.R.G BhojerAtrs.Comm.& Science College	1 Year	REJECTED	Experience Criteria Not Fulfilled
5	7	Nikure Mrunali Balaji	Entomologists	06/01/1998	FEMALE	OBC	NO	M.Sc.ZOOLOGY	64.90	NA	NA	NA	NA	REJECTED	DD, Caste cert not Attached, Experience criteria not fulfilled
6	8	Khadase Rushikesh Dinesh	Entomologists	08/12/1989	MALE	SC	NO	M.Sc.ZOOLOGY	66.88	NA	NA	Dr.R.G BhojerAtrs.Comm.& Science College	1 Year	REJECTED	Experience Criteria Not Fulfilled
7	9	Wasekar Nachiket Kishor	Entomologists	14/6/2000	MALE	OBC	YES	M.Sc.ZOOLOGY	70.08	NA	NA	Dr.R.G BhojerAtrs.Comm.& Science College	1 Year	REJECTED	Experience Criteria Not Fulfilled
8	11	Sawale Minakshi Yuraj	Entomologists	16/01/1998	FEMALE	ST	YES	M.Sc.ZOOLOGY	77.85	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled
9	12	Sonavane Pooja Manohar	Entomologists	27/07/1999	FEMALE	ST	YES	M.Sc.ZOOLOGY	77.60	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled
10	13	Chaudhari Hina Jaysing	Entomologists	29/09/2001	FEMALE	ST	YES	M.Sc.ZOOLOGY	71.70	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled
11	14	Salve Rahul Panilal	Entomologists	07/03/1993	MALE	SC	YES	M.Sc.ZOOLOGY	46.50	NA	NA	A.S.G Mandal Art & Commerce college taloda, P.S.GVPM, GBP atel sci College shahada, Ashram shala Salsadi	3 Years 7 Month	REJECTED	Experience Criteria Not Fulfilled
12	16	Valvi Anita Saisinge	Entomologists	22/06/1997	FEMALE	ST	YES	M.Sc.ZOOLOGY	85.65	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled


SR.NO.	FORM NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATER GOY	CASTE CERTIFICATE / VALIDITY	M.Sc.ZOOLOGY		ADDITIONAL QUALIFICATION		EXPERIENCE		REMARK	REASON OF REJECTON
								QUALIFICATION	%	QUALIFICATION	%	ORG.NAME	PERIOD IN YEARS		
13	17	Pawar Riya Vijay	Entomologists	17/07/2002	FEMALE	OBC	YES	M.Sc.ZOOLOGY	86.90	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled
14	18	Pawar Rajendra Dulaba	Entomologists	06/01/1996	MALE	ST	YES	M.Sc.ZOOLOGY	73.05	NA	NA	NA	NA	REJECTED	Cast Certificate not attached, Experience Criteria Not Fulfilled
15	19	Sonar Mahendra Shankar	Entomologists	04/10/1987	MALE	OBC	NO	M.Sc.ZOOLOGY	68.00	NA	NA	dmo office,thane,RHO Pune (ROH&FW),ROH&FW Gov of india	9 Year	REJECTED	Caste Certificate not attached
16	20	Gavit Sarla Ramesh	Entomologists	10/08/1992	FEMALE	ST	YES	M.Sc.ZOOLOGY	61.50	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled
17	21	Vasave Mangalsing Kalusing	Entomologists	17/07/1996	MALE	ST	YES	M.Sc.ZOOLOGY	70.50	NA	NA	NHM Nashik,Shree Sidheshwar Hospital	2 Year 2 Month	REJECTED	Experience Criteria Not Fulfilled
18	22	Valvi Sandip Raju	Entomologists	18/08/1997	MALE	ST	NO	M.Sc.ZOOLOGY	83.15	NA	NA	NA	NA	REJECTED	Cast Certificate & Experience Criteria Not Fulfilled
19	23	Vasave Ravita Bindya	Entomologists	22/04/1998	FEMALE	ST	YES	M.Sc.ZOOLOGY	86.85	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled
20	24	Padavi Sandip dinka	Entomologists	02/02/1996	MALE	ST	YES	M.Sc.ZOOLOGY	76.05	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled
21	25	Gokhare Pranita Gunwantrao	Entomologists	27/4/1996	FEMALE	OBC	YES	M.Sc.ZOOLOGY	58.40	NA	NA	NHM PHC Kharnaga	2 Years 2 Month	REJECTED	Experience Criteria Not Fulfilled
22	26	Pawar Sharadchandra Lalsing	Entomologists	08/12/1993	MALE	VJ A	YES	M.Sc.ZOOLOGY	79.40	NA	NA	NA	NA	REJECTED	Experience Certificate Not Attached
23	27	Padavi Rohidas Singya	Entomologists	02/03/1996	MALE	ST	YES	M.Sc.ZOOLOGY	86.50	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled
24	28	Pawara Tina Jaysing	Entomologists	08/01/1997	FEMALE	ST	YES	M.Sc.ZOOLOGY	84.75	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled
25	29	Gavit Yuhan Vasu	Entomologists	20/09/1992	MALE	ST	YES	M.Sc.ZOOLOGY	53.50	NA	NA	Dr R.N Cooper Hospital,Meera Bhinder Muncpal Corperation,Grant Medical College Lab	2 Years 10 Month	REJECTED	Experience Criteria Not Fulfilled
26	30	Pawar Manesh Gulab	Entomologists	06/01/1989	MALE	SC	YES	BSC Zoology	NA	NA	NA	NA	NA	REJECTED	Qualification Criteria Not Fulfilled


[Handwritten signature]


[Handwritten signature]


SR.NO.	FORM NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATER GOV	CASTE CERTIFICATE/ VALIDITY	M.Sc.ZOOLOGY		ADDITIONAL QUALIFICATION		EXPERIENCE		REMARK	REASON OF REJECTON
								QUALIFICATION	%	QUALIFICATION	%	ORG.NAME	PERIOD IN YEARS		
27	31	Gavit Nirmala Irji	Entomologists	24/11/1994	FEMALE	ST	YES	M.Sc.ZOOLOGY	42.50	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled
28	32	Valvi Sonal Shivaji	Entomologists	09/10/1991	FEMALE	ST	YES	M.Sc.ZOOLOGY	42.50	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled
29	33	Ravtale Bharati kafusing	Entomologists	06/10/1996	FEMALE	ST	YES	M.Sc.ZOOLOGY	82.00	NA	NA	R C Patel Shirpur	2 Year 1 Month	REJECTED	Experience Criteria Not Fulfilled
30	34	Aher Vikas Manilal	Entomologists	08/01/1998	MALE	ST	YES	M.Sc.ZOOLOGY	77.95	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled
31	37	Thakare Urmila Rajendra	Entomologists	30/11/1998	FEMALE	ST	YES	M.Sc.ZOOLOGY	76.75	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled
32	39	Samudre Bharti Manikarao	Entomologists	01/07/1991	FEMALE	SC	YES	M.Sc.ZOOLOGY	59.10	NA	NA	GTP College	11 Month	REJECTED	Experience Criteria Not Fulfilled
33	41	Pawara Ratilal Ghusadya	Entomologists	01/09/1999	MALE	ST	YES	M.Sc.ZOOLOGY	71.70	NA	NA	Jankalyan Blood bank andurbar,SPN Path Lab	1 Year 4 Month	REJECTED	Experience Criteria Not Fulfilled
34	42	Shikh Nazreenbano Shiban Ahmed	Entomologists	08/07/1988	FEMALE	OPEN	YES	M.Sc.ZOOLOGY	61.75	NA	NA	SDH dondicha,Shivkrupa Hospittal.govt of WB Kolkatta,BVG	4Years	REJECTED	Experience Criteria Not Fulfilled
35	43	Dedwal Shubham Supadasing	Entomologists	26/01/1992	MALE	VJ A	YES	M.Sc.ZOOLOGY	72.80	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled
36	44	Gavit Ranjana Devji	Entomologists	09/11/1995	FEMALE	ST	YES	M.Sc.ZOOLOGY	80.50	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled
37	45	Ramane Dipali Tanaji	Entomologists	12/03/1999	FEMALE	EWS	YES	M.Sc.ZOOLOGY	68.96	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled
38	46	Sutar Anjali Ganpati	Entomologists	04/11/1999	FEMALE	OBC	YES	M.Sc.ZOOLOGY	60.67	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled
39	47	Karale Amole Rajesh	Entomologists	05/08/1993	MALE	OBC	YES	M.Sc.ZOOLOGY	56.50	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled


SR.NO.	FORM NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATER GOY	CASTE CERTIFICATE / VALIDITY	M.Sc.ZOOLOGY		ADDITIONAL QUALIFICATION		EXPERIENCE		REMARK	REASON OF REJECTON
								QUALIFICATION	%	QUALIFICATION	%	ORG.NAME	PERIOD IN YEARS		
40	48	Deshmukh Pragati Rajesh	Entomologists	10/08/1992	FEMALE	OBC	YES	M.Sc.ZOOLOGY	68.80	NA	NA	NA	NA	REJECTED	Experience Criteria Not Fulfilled
41	49	Samudre Vidya Dharmaraj	Entomologists	20/03/1995	MALE	SC	YES	M.Sc.ZOOLOGY	70.00	NA	NA	Samata Bahuuddeshiy Munch	3 Year	REJECTED	Origanl Dd Not attached Experience Criteria Not Fulfilled


 अति.जिल्हा आरोग्य अधिकारी तथा
 जिल्हा कार्यक्रम व्यवस्थापक,रा.आ.अ.जि.प.नंदुरबार


 जिल्हा माता व बाळसंगोपन अधिकारी
 जि.प.नंदुरबार


 जिल्हा अन्नधन्य अधिकारी,
 जि.प.नंदुरबार


 जिल्हा प्राथमिकचिकित्सक,
 जि.प.नंदुरबार


 मुख्य कार्यकारी अधिकारी
 जि.प.नंदुरबार

Lab Technician या संवर्गाची पात्र यादी

SR.N O.	FOR M NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATERGOY	CASTE CERTIFIC ATE / VALIDITY	12TH + DIPLOMA		ADDITIONAL QUALIFICATION		VALID REG. CERTI	REG. CERTI. NO.	GOVT. EXPERIENCE		REMARK
								QUALIFI CATION	%	QUALIFIC ATION	%			ORG.NAM E	PERIOD IN YEARS	
1	2	3	4	9	11	14	15	20	23	24	27	28	29	30	31	32
1	1	GAVIT SHITAL MAHENDRA	Lab Technician	10/02/1999	FEMALE	ST	YES	DMLT	59.71	BMLT	71.40	YES	9123	NO	NO	ACCEPETED
2	3	PAWARA ROSHANI HIRALAL	Lab Technician	07/01/1997	FEMALE	ST	YES	BMLT	58.50	NO	NA	YES	126	NO	NO	ACCEPETED
3	4	MAVCHI FILIP DILIP	Lab Technician	12/08/1999	MALE	ST	YES	ADMLT	71.50	NO	NA	YES	394	NO	NO	ACCEPETED
4	8	PAWAR MANESH GULAB	Lab Technician	06/01/1989	MALE	OPEN	NO	DMLT	59.14	NO	NA	YES	521	NO	NO	ACCEPETED
5	9	PAWAR MANESH GULAB	Lab Technician	06/01/1989	MALE	SC	YES	DMLT	59.14	NO	NA	YES	521	NO	NO	ACCEPETED
6	12	VALVI SANDIP MOHANSING	Lab Technician	06/01/1996	MALE	ST	YES	ADMLT	74.00	NO	NA	YES	919	NO	NO	ACCEPETED
7	13	PADVI BHALEHANDRA BOKHYA	Lab Technician	05/04/1996	MALE	ST	YES	ADMLT	75.00	NO	NA	YES	438	NO	NO	ACCEPETED
8	30	NAIK ASHWIN GANESH	Lab Technician	06/05/1996	MALE	ST	YES	DMLT	71.57	B.SC	79.00	YES	839	NO	NO	ACCEPETED
9	33	PAWAR KAPIL DILIP	Lab Technician	15/01/1994	MALE	ST	YES	BSCLT	69.00	NO	NA	YES	825	NO	NO	ACCEPETED
10	39	GAVIT SUNITA GANGARAM	Lab Technician	02/08/1998	FEMALE	ST	YES	BSCLT	64.17	NO	NA	YES	BCSLT/0013/202 4	NO	NO	ACCEPETED
11	41	RAUL SWAPNIL SAYSING	Lab Technician	26/11/1998	MALE	ST	YES	BSCLT	79.59	NO	NA	YES	38	NO	NO	ACCEPETED
12	45	KHAN RIZWANA PARVEEN MOHID KHAN	Lab Technician	02/06/1995	FEMALE	OPEN	NO	BSCLT	59.71	NO	NA	YES	2021	NO	NO	ACCEPETED
13	53	PATIL VIKAS SANJAY	Lab Technician	03/12/2000	MALE	OPEN	NO	BSCLT	72.14	NO	NA	YES	39	NO	NO	ACCEPETED
14	56	GAVIT ANIL CHINTAMAN	Lab Technician	18/06/1989	MALE	ST	YES	ADMLT	75.00	NO	NA	YES	65	NO	NO	ACCEPETED
15	68	VASAVE RAHUL BIJYA	Lab Technician	13/06/1996	MALE	ST	YES	DMLT	66.27	NO	NA	YES	3931	NO	NO	ACCEPETED

SR.N O.	FOR M NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATERGOY	CASTE CERTIFIC ATE / VALIDITY	12TH + DIPLOMA		ADDITIONAL QUALIFICATION		VALID REG. CERTI	REG. CERTI. NO.	GOVT. EXPERIENCE		REMARK
								QUALIFI CATION	%	QUALIFIC ATION	%			ORG.NAM E	PERIOD IN YEARS	
16	69	VASAVE PRATIBHA MOHAN	Lab Technician	16/03/2000	FEMALE	ST	YES	BSCLT	73.41	NO	NA	YES	47	NO	NO	ACCEPETED
17	70	VASAVE AVINA JAMSU	Lab Technician	14/06/1999	FEMALE	ST	YES	BSCLT	76.55	NO	NA	YES	37	NO	NO	ACCEPETED
18	79	VALVI ANITA KAGADYA	Lab Technician	20/02/1990	FEMALE	ST	YES	ADMLT	59.00	NO	NA	YES	1108	NO	NO	ACCEPETED
19	82	GIRASE GAURAV SHEGNATH	Lab Technician	28/09/1995	MALE	OPEN	NO	DMLT	64.00	NO	NA	YES	59	NO	NO	ACCEPETED
20	96	PAWARA PRATAP JAYRAM	Lab Technician	26/2/92	MALE	ST	YES	BSCLT	75.23	NO	NA	YES	BSC/LT/11109/20 24	NO	NO	ACCEPETED
21	100	VASAVE MUKESH CHUNILAL	Lab Technician	05/08/1995	MALE	ST	YES	BSCLT	68.86	NO	NA	YES	15	NO	NO	ACCEPETED
22	104	GAVIT DILIP RAMESH	Lab Technician	04/01/1995	MALE	ST	YES	B.SC MLT	69.45	NO	NA	YES	B.SC/MLT/0029/ 2020	NO	NO	ACCEPETED
23	110	VASAVE GANESH SUBHAS	Lab Technician	16/09/1994	MALE	SC	YES	DMLT	74.33	NO	NA	YES	1013	NO	NO	ACCEPETED
24	118	VASAVE MANGALSING KALUSING	Lab Technician	17/07/1996	MALE	ST	YES	PG DMLT	69.69	NO	NA	YES	AD/MLT/0343/20 23	NO	NO	ACCEPETED
25	119	VALVI MANISHA RAHUL	Lab Technician	24/03/1997	FEMALE	ST	YES	ADMLT	77.85	NO	NA	YES	AD/MLT/0600/20 23	NO	NO	ACCEPETED
26	126	VALVI SURESH RAMA	Lab Technician	04/04/1995	MALE	ST	YES	ADMLT	70.38	NO	NA	YES	AD/MLT/0539/20 24	NO	NO	ACCEPETED
27	131	DOLE YACHIKA GANESH	Lab Technician	03/01/2000	FEMALE	NT B	YES	DMLT	77.13	NO	NA	YES	332319	NO	NO	ACCEPETED
28	140	GAVIT YAUHAN VASU	Lab Technician	20/09/1992	MALE	ST	YES	DMLT	60.00	M SC ZOO	66.68	YES	AD/DMLT/0419/ 2023	NO	NO	ACCEPETED
29	142	VASAVE MANISHA SATISH	Lab Technician	02/03/1997	FEMALE	ST	YES	DMLT	75.00	B.SC BOTANY	74.92	YES	AD/MLT/0833/20 23	NO	NO	ACCEPETED

SSP

W

SR.N O.	FOR M NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATERGOY	CASTE CERTIFIC ATE / VALIDITY	12TH + DIPLOMA		ADDITIONAL QUALIFICATION		VALID REG. CERTI	REG. CERTI. NO.	GOVT. EXPERICENCE		REMARK
								QUALIFI CATION	%	QUALIFIC ATION	%			ORG.NAM E	PERIOD IN YEARS	
30	146	VALVI MAHIMA SANDEEP	Lab Technician	18/10/1985	FEMALE	ST	YES	DMLT	58.20	B.SC MLT	70.10	YES	1019	NO	NO	ACCEPETED
31	153	TADVI VILASH BAMANYA	Lab Technician	29/09/1993	MALE	ST	YES	DMLT	69.95	NO	NA	YES	202304230	NO	NO	ACCEPETED
32	155	RAJPUT POONAM DIPAK	Lab Technician	08/02/2001	FEMALE	OPEN	NO	DMLT	80.00	B.SC	61.92	YES	9094	NO	NO	ACCEPETED
33	169	PATIL MINAKSHI VASANT	Lab Technician	25/12/1986	FEMALE	OBC	NO	DMLT	64.00	NO	NA	YES	202405922	NO	NO	ACCEPETED
34	173	GAVIT ISRAM SEGA	Lab Technician	05/10/1986	MALE	ST	YES	DMLT	66.00	NO	NA	YES	B.SC/MLT/0027/ 2020	NO	NO	ACCEPETED
35	178	RAJPUT DIPESH RAMKRUSHNA	Lab Technician	01/07/1994	MALE	OPEN	NO	B.SC (MLT)	62.00	NO	NA	YES	B.SC/MLT/10205 /2023	NO	NO	ACCEPETED
36	189	RAWATALE VINOD DEVISING	Lab Technician	01/06/1994	MALE	ST	YES	DMLT	68.00	M.SC BOTANY	80.30	YES	D/MLT/0003/202 4	ZILHA HOSPITAL BEED	1 YEAR 2 MONTH IDYAS	ACCEPETED
37	190	RAWATALE VINOD DEVISING	Lab Technician	01/06/1994	MALE	OPEN	YES	DMLT	68.00	M.SC BOTANY	80.30	YES	D/MLT/0003/202 4	ZILHA HOSPITAL BEED	1 YEAR 2 MONTH IDYAS	ACCEPETED
38	193	KHATIK JUNED YUSUF	Lab Technician	20/11/1995	MALE	OBC	YES	B.SC MLT	68.91	NO	NA	YES	BSC/MLT/0026/2 022	NO	NO	ACCEPETED
39	194	GAVIT SONALI SAMUVEL	Lab Technician	03/04/1999	FEMALE	ST	YES	B.SC BPMT	63.50	NO	NA	YES	B.SC/LABOTAT ORY/0165/2023	NO	NO	ACCEPETED
40	220	DONGRE DIKSHA RAMESH	Lab Technician	07/02/2000	FEMALE	SC	YES	DMLT	78.33	NO	NA	YES	D/MLT/0219/202 4	NO	NO	ACCEPETED
41	227	DHUMALE NILESH VINAYAKRAO	Lab Technician	09/01/1991	MALE	OBC	YES	DMLT	74.57	NO	NA	YES	D/LT/0012/2024	NO	NO	ACCEPETED
42	232	THAKARE KALPESH RAJENDRA	Lab Technician	18/08/1998	MALE	OBC	YES	B.SC MLT	71.10	NO	NA	YES	9148	NO	NO	ACCEPETED
43	234	PAWARA MANOJ VINOD	Lab Technician	14/01/2000	MALE	ST	YES	MLT	69.05	NO	NA	YES	AIVPC202006341 539	NO	NO	ACCEPETED
44	245	MARATHE DINESH RAMESH	Lab Technician	24/07/1993	MALE	OPEN	NO	DMLT	60.85	B.SC MLT	52.71	YES	AD/MLT/0284 20 24	NO	NO	ACCEPETED

SR.N O.	FOR M NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATERGOY	CASTE CERTIFIC ATE / VALIDITY	12TH + DIPLOMA		ADDITIONAL QUALIFICATION		VALID REG. CERTI	REG. CERTI. NO.	GOVT. EXPERIENCE		REMARK
								QUALIFI CATION	%	QUALIFIC ATION	%			ORG.NAM E	PERIOD IN YEARS	
45	251	GAVIT RUTUJA GOBJI	Lab Technician	15/07/1997	FEMALE	ST	YES	DMLT	66.69	NO	NA	YES	AD/MLT/0308/20 24	NO	NO	ACCEPETED
46	253	KOKANI MINAKSHI VIKRAM	Lab Technician	21/01/1999	FEMALE	ST	YES	DMLT	71.08	B.SC ZOOLOGY	79.66	YES	AD/MLT/0131/20 24	NO	NO	ACCEPETED
47	256	MADAVI SAHIL MAGESH	Lab Technician	20/09/2003	MALE	ST	YES	DMLT	69.22	NO	NA	YES	D/MLT/(II)/0206/ 2024	NO	NO	ACCEPETED

अति.जिल्हा आरोग्य अधिकारी तथा
जिल्हा कार्यक्रम व्यवस्थापक,रा.आ.अ.जि.प.नंदुरबार

जिल्हा माता व बालसंगोपन अधिकारी
जि.प.नंदुरबार

जिल्हा आरोग्य अधिकारी,
जि.प.नंदुरबार

जिल्हा शल्यचिकित्सक,
जि.प.नंदुरबार

मुख्य कार्यकारी अधिकारी
जि.प.नंदुरबार

Lab Technician या संवर्गाची अपात्र यादी

SR.N O.	FOR M NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATERGOY	CASTE CERTIFIC ATE / VALIDITY	NON CREAMY LAYER	12TH + DIPLOMA		ADDITIONAL QUALIFICATION		VALID REG. CERTI	REG. CERTI. NO.	GOVT. EXPERIENCE		REMARK	REASON OF REJECTON
									QUALIFIC ATION	%	QUALIFI CATION	%			ORG.NAME	PERIOD IN YEARS		
1	2	3	4	9	11	14	15	16	20	23	24	27	28	29	30	31	32	33
1	2	PAWARA MOSAMBAI NANA	Lab Technician	07/03/1999	FEMALE	ST	YES	NO	DMLT	61.75	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE & SLIP NOT
2	5	THAKARE SAGAR ASHOK	Lab Technician	11/01/1993	MALE	ST	YES	NO	BSCMLT	66.43	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
3	6	NARWARE SAGAR FAKIRA	Lab Technician	31/10/1998	MALE	SC	YES	NO	DMLT	79.55	BS.CMLT	71.67	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATIN NOT ATTACHED
4	7	GAVIT YOSEF KARMA	Lab Technician	20/05/1992	MALE	ST	YES	NO	DMLT	63.20	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
5	10	PADVI PRATIBHA SAMRSING	Lab Technician	23/04/1992	FEMALE	ST	YES	NO	DMLT	64.67	DLT	76.86	YES	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
6	11	VASAVE VAISHALI AVINASH	Lab Technician	13/05/2002	FEMALE	ST	YES	NO	DMLT	62.25	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
7	14	PADVI RINKU MOGYA	Lab Technician	09/07/1998	FEMALE	ST	YES	NO	PG DMLT	67.00	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
8	15	SURYAWANSHI RAHUL SUSHIL	Lab Technician	08/12/1996	MALE	OBC	YES	YES	DMLT	66.50	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
9	16	GAVIT SHILA JAIIGU	Lab Technician	11/10/2000	FEMALE	ST	YES	NO	DMLT	64.71	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
10	17	MOMIN NABEEL A AKHLAQUE AHMED	Lab Technician	19/03/1999	FEMALE	OPEN	NO	NO	DMLT	88.88	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
11	18	WAGHELA HARDIK RAJESH	Lab Technician	13/04/2000	MALE	SC	YES	NO	DMLT	73.00	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
12	19	GAVIT LAXMI SUDHAKAR	Lab Technician	13/11/1997	FEMALE	ST	YES	NO	ADMLT	62.36	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
13	20	PAWARA SUNIL RADATYA	Lab Technician	04/06/1998	MALE	ST	YES	NO	ADMLT	60.00	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
14	21	MASKE SWAPNIL NILKANTH	Lab Technician	03/10/1996	MALE	OBC	YES	YES	B SC	60.00	NO	NA	NO	NO	NO	NO	REJECTED	DIPLOMA NOT AS PER POST
15	22	SHELAMKAR PRASHANT UTTAM	Lab Technician	10/07/1997	MALE	OPEN	NO	NO	DMLT	66.33	NO	NA	YES	5118	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
16	23	SONAWANE HANSRAJ PUNDLIK	Lab Technician	18/05/1985	MALE	OBC	YES	YES	DMLT	68.47	CMLT	53.33	YES	NO	NO	NO	REJECTED	NO COUNCIL REGISTRATION CERTI
17	24	SHELAMKAR PRASHANT UTTAM	Lab Technician	10/07/1997	MALE	SEBC	NO	YES	DMLT	66.33	NO	NA	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATIN NOT ATTACHED
18	25	PRADHAN SUVARNA SUBHASH	Lab Technician	10/05/1998	FEMALE	ST	YES	NO	DMLT	63.57	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
19	26	PATIL SHAIL ANIL	Lab Technician	13/09/2000	MALE	OBC	YES	NO	DMLT	83.13	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
20	27	PADVI GAMARSING DIVALYA	Lab Technician	07/05/1997	MALE	OBC	YES	NO	BSCLT	75.41	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
21	28	PADVI GAMARSING DIVALYA	Lab Technician	07/05/1997	MALE	ST	YES	NO	BSCLT	75.41	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
22	29	VASAVE KALPANA NAESING	Lab Technician	14/06/1991	FEMALE	ST	YES	NO	DMLT	54.57	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE

SPP

M

SR. NO.	FORM NO.	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATEGORY	CASTE CERTIFICATE / VALIDITY	NON CREAMY LAYER	12TH + DIPLOMA		ADDITIONAL QUALIFICATION		VALID REG. CERTI	REG. CERTI. NO.	GOVT. EXPERIENCE		REMARK	REASON OF REJECTION
									QUALIFICATION	%	QUALIFICATION	%			ORG. NAME	PERIOD IN YEARS		
23	31	MARATHE KALYANI RAMESH	Lab Technician	14/06/1999	FEMALE	OPEN	NO	NO	DMLT	61.57	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
24	32	TADVI YASHWANT AMARSING	Lab Technician	27/03/2000	MALE	ST	YES	NO	DMLT	63.00	BSCLT	80.53	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
25	34	WAGHMODE AMIT VITHAL	Lab Technician	28/08/1989	MALE	VJA	YES	NO	MLT	#DIV/0!	NO	NA	NO	NO	NO	NO	REJECTED	MLT MARK SHEET CERTIFICATE NOT AVAILABLE
26	35	RATHOD KIRAN SUBHASHRAO	Lab Technician	15/06/1995	MALE	VJA	YES	NO	DMLT	55.78	NO	NA	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATIN NOT ATTACHED
27	36	NIKURE MRUNALI BALAGI	Lab Technician	06/01/1998	FEMALE	OBC	YES	NO	DMLT	63.44	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE & DD NOT AVAILABLE
28	37	NARALE ADITI SANGAAPPA	Lab Technician	30/01/2004	FEMALE	OBC	YES	NO	DMLT	75.71	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
29	38	SAYYED TABREZ ALI YAQUB ALI	Lab Technician	25/09/1999	MALE	OPEN	NO	NO	DMLT	59.47	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
30	40	GAVIT AMIT RAMESH	Lab Technician	07/12/1999	MALE	ST	YES	NO	ADMLT	75.00	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
31	42	MARATHE VAISHALI RAMESH	Lab Technician	23/06/1995	FEMALE	OPEN	NO	YES	DMLT	54.43	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
32	43	PAWARA LAXMI REHANJYA	Lab Technician	06/01/1998	FEMALE	ST	YES	NO	DMLT	54.29	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
33	44	VASAVE KAVITA JAYSING	Lab Technician	25/08/1994	FEMALE	ST	YES	NO	MLT	35.22	NO	NA	NO	NO	NO	NO	REJECTED	MARKSHEET NOT CLEAR / REGISTRATION NO NOT AVAILABLE
34	46	SULE HARISHCHANDRA LAGAN	Lab Technician	20/10/2001	MALE	ST	YES	NO	MLT	70.02	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
35	47	VASAVE NISHA GOMA	Lab Technician	10/02/2000	FEMALE	ST	YES	NO	DMLT	72.50	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
36	48	MAVALI PRANALI PRAKASH	Lab Technician	20/09/2003	FEMALE	ST	YES	NO	DMLT	78.88	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
37	49	GORADWAR NILKANTH BHIMRAO	Lab Technician	09/05/2000	MALE	OBC	YES	NO	ADMLT	86.50	NO	NA	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATIN NOT ATTACHED
38	50	GADADE AKASH BALAJI	Lab Technician	01/10/1999	MALE	OPEN	NO	NO	DMLT	87.38	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
39	51	LOHARE GANESH UTTAM	Lab Technician	03/06/2001	MALE	SC	YES	NO	BSCLT	63.83	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
40	52	PATIL MUKUND DHANRAJ	Lab Technician	20/06/1999	MALE	OPEN	NO	NO	BSCLT	68.91	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
41	54	BAGUL NISHA DAGADU	Lab Technician	15/03/2004	FEMALE	SC	YES	NO	D.PHAM	61.91	NO	NA	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
42	55	PAWARA PRAVIN RAMESHJH	Lab Technician	14/02/1995	MALE	ST	YES	NO	DMLT	71.13	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
43	57	VALVI SHITAL SANTOSH	Lab Technician	01/12/1997	FEMALE	ST	YES	NO	DMLT	73.80	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
44	58	BARGAL SHIVNATH TATERAO	Lab Technician	10/11/1996	MALE	OPEN	NO	NO	DMLT	72.20	NO	NA	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
45	59	KHATIK AARBAJ NAIM	Lab Technician	16/11/2000	MALE	OBC	YES	NO	ADMLT	76.05	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE

88

21/1

SR.N O.	FOR M NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATERGOY	CASTE CERTIFIC ATE / VALIDITY	NON CREAMY LAYER	12TH + DIPLOMA		ADDITIONAL QUALIFICATION		VALID REG. CERTI	REG. CERTL. NO.	GOVT. EXPERIENCE		REMARK	REASON OF REJECTON
									QUALIFIC ATION	%	QUALIFI CATION	%			ORG.NAME	PERIOD IN YEARS		
46	60	KASAI IMRAN MOMHAD YUSUBH	Lab Technician	31/12/2000	MALE	OPEN	NO	NO	DMLT	84.50	B SC	73.73	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
47	61	MORE VJAY SAKHARAM	Lab Technician	20/08/1985	MALE	NTB	YES	YES	DMLT	66.43	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
48	62	NAIK TRIPTI PAVAN	Lab Technician	05/04/1998	FEMALE	ST	YES	NO	DMLT	59.60	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
49	63	PAWARA SACHIN ROHIDAS	Lab Technician	24/03/2000	MALE	ST	YES	NO	DMLT	73.83	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
50	64	PAWARA RAVINDRA TUKARAM	Lab Technician	10/10/1993	MALE	ST	YES	NO	DMLT	67.11	NO	NA	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATIN NOT ATTACHED
51	65	VALVI BHUPENDRA SURUPSING	Lab Technician	04/03/2002	MALE	ST	YES	NO	DMLT	58.73	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
52	66	BHANDARI RAKESH LALIT	Lab Technician	19/08/1999	MALE	ST	YES	NO	PG DMLT	62.44	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
53	67	PANDIT INDRARAJ GOKUL	Lab Technician	06/04/1997	MALE	OBC	YES	NO	D PHAM	64.10	NO	NA	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
54	71	PAWARA SHIRISH GANESH	Lab Technician	31/05/2001	MALE	ST	YES	NO	DMLT	88.63	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
55	72	PARADAKE ARJUN KELA	Lab Technician	22/10/1996	MALE	ST	YES	NO	DMLT	57.29	BS CLT	78.00	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
56	73	PARADAKE ARJUN KELA	Lab Technician	22/10/1996	MALE	OPEN	YES	NO	DMLT	57.29	BS.CLT	78.00	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
57	74	VALVI JAGDISH SHEGAJI	Lab Technician	18/10/1994	MALE	ST	YES	NO	DMLT	68.33	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
58	75	PAWARA YOGESH CHAMPALAL	Lab Technician	08/07/1994	MALE	ST	YES	NO	DMLT	54.71	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
59	76	PADVI SAPANA JAGATSING	Lab Technician	05/01/1997	FEMALE	ST	YES	NO	DMLT	60.40	BSCLT	60.40	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
60	77	NAHIRE MANGESH BALU	Lab Technician	25/03/1998	MALE	OBC	YES	NO	DMLT	67.00	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
61	78	KOLI RUSHIKESH SANJAY	Lab Technician	18/08/2000	MALE	OPEN	NO	NO	DMLT	73.13	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
62	80	SUTAR AFAQ MOHAMMAD RAOOQUE MOHAMMAD	Lab Technician	15/11/2001	MALE	OBC	NO	NO	DMLT	63.00	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
63	81	CHITOD PAVAN SANJAY	Lab Technician	24/05/2000	MALE	SC	NO	NO	DMLT	88.83	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
64	83	AMBEKAR JAGDISH ANIL	Lab Technician	10/05/1998	MALE	OBC	YES	NO	PG DMLT	74.23	NO	NA	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATIN NOT ATTACHED

[Handwritten signature]

[Handwritten signature]

SR.N O.	FOR M NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATERGOY	CASTE CERTIFIC ATE/ VALIDITY	NON CREAMY LAYER	12TH + DIPLOMA		ADDITIONAL QUALIFICATION		VALID REG. CERTI	REG. CERTI. NO.	GOVT. EXPERIENCE		REMARK	REASON OF REJECTON
									QUALIFIC ATION	%	QUALIFI CATION	%			ORG.NAME	PERIOD IN YEARS		
65	84	VALVI YASHWANT HATYA	Lab Technician	07/10/1999	MALE	ST	YES	NO	DMLT	69.53	PG DMLT	73.50	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
66	85	MORE SNEHA PARMESHWAR	Lab Technician	08/04/1997	FEMALE	SC	YES	NO	DMLT	71.60	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
67	86	SONAWANE PRITESH SAHEBRAO	Lab Technician	09/04/2002	MALE	OBC	YES	NO	DMLT	73.00	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
68	87	PIMPLE VIKKI ATMARAM	Lab Technician	25/4/1994	MALE	SC	YES	NO	TYBA	50.67	NO	NA	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
69	88	PADVI MEGHA ROHIDAS	Lab Technician	17/7/1999	FEMALE	ST	YES	NO	DMLT	69.80	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
70	89	MIRZA AAQIB BEG RAUF BEG	Lab Technician	22/11/2003	FEMALE	EWS	YES	NO	MICRO BIO	68.54	NO	NA	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
71	90	SHAIKH BHAGVAN IMRAJA HAMZA	Lab Technician	10/02/2003	MALE	OPEN	NO	NO	HSC	76.17	NO	NA	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
72	91	BHIL VASUDEO EKNATH	Lab Technician	10/10/1996	MALE	ST	NO	NO	DMLT	70.00	NO	NA	YES	1938	NO	NO	REJECTED	CAST CERTIFICATE NOT ATTACH
73	92	TADVI PRAVIN JAYSING	Lab Technician	08/07/1998	MALE	ST	YES	NO	DMLT	83.14	NO	NA	NO	NO	NO	NO	REJECTED	REG. CERTIFICATE NO NOT AVAILABLE
74	93	GAVIT MAHIMA BIJARAT	Lab Technician	21/3/1999	FEMALE	ST	YES	NO	DMLT	65.43	NO	NA	NO	NO	NO	NO	REJECTED	REG. CERTIFICATE NO NOT AVAILABLE
75	94	PAWARA RANJANA BHANUDAS	Lab Technician	12/09/2002	FEMALE	ST	YES	NO	DMLT	85.00	NO	NA	NO	NO	NO	NO	REJECTED	REG. CERTIFICATE NO NOT AVAILABLE
76	95	BRAMHANE PRIYANKA PRAFFUL	Lab Technician	16/5/1996	FEMALE	SC	YES	NO	DMLT	70.67	NO	NA	NO	NO	NO	NO	REJECTED	REG. CERTIFICATE NO NOT AVAILABLE
77	97	VALVI DILWAR JANYA	Lab Technician	13/03/1997	MALE	ST	YES	NO	DMLT	52.43	BSCLT	83.00	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATIN NOT ATTACHED
78	98	TADVI GOVIND MAKTYA	Lab Technician	17/01/1998	MALE	ST	YES	NO	DMLT	54.29	NO	NA	NO	NO	NO	NO	REJECTED	REG. CERTIFICATE NO NOT AVAILABLE
79	99	SHAH SANABANO MUNAF	Lab Technician	13/4/1998	FEMALE	OPEN	NO	NO	DMLT	65.14	NO	NA	NO	NO	NO	NO	REJECTED	REG. CERTIFICATE NO NOT AVAILABLE
80	101	VASAVE NISHOR ASHOK	Lab Technician	05/05/1998	MALE	ST	YES	NO	DMLT	63.00	NO	NA	NO	NO	NO	NO	REJECTED	REG. CERTIFICATE NO NOT AVAILABLE

SS

11

SR.N O.	FOR M NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATERGOY	CASTE CERTIFIC ATE / VALIDITY	NON CREAMY LAYER	12TH + DIPLOMA		ADDITIONAL QUALIFICATION		VALID REG. CERTI	REG. CERTI. NO.	GOVT. EXPERIENCE		REMARK	REASON OF REJECTON
									QUALIFIC ATION	%	QUALIFI CATION	%			ORG.NAME	PERIOD IN YEARS		
81	102	TADVI NILESH SUBHASH	Lab Technician	08/08/2000	MALE	ST	YES	NO	DMLT	76.67	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
82	103	GAWALE KARUNA RAVINDRA	Lab Technician	10/10/1998	FEMALE	SC	YES	NO	DMLT	61.75	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE
83	105	PAWAR YOGITA RANJIT	Lab Technician	20/03/2002	FEMALE	VJA	YES	NO	MLT	66.02	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION NO NOT AVAILABLE/ MARSHEET NOT CLEAR
84	106	MOTE ROHIT DEVSING	Lab Technician	27/10/2000	MALE	ST	YES	NO	DMLT	63.40	NO	NA	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATION CERTI NO
85	107	PAWARA MUKESH INDAS	Lab Technician	08/07/2001	MALE	ST	YES	NO	DMLT	80.38	NO	NA	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATION CERTI NO
86	108	MORE YOGITA ARUN	Lab Technician	22/12/1995	FEMALE	OBC	YES	NO	DMLT	88.83	NO	NA	NO	NO	NO	NO	REJECTED	NO COUNCIL REGISTRATION CERTIFICATE
87	109	VASAVE AVANTIKA CHANDRAKANT	Lab Technician	13/10/2003	FEMALE	ST	YES	NO	DMLT	74.13	NO	NA	NO	NO	NO	NO	REJECTED	NO COUNCIL REGISTRATION CERTIFICATE
88	111	VALVI PRIYANKA RAMESH	Lab Technician	18/05/2001	FEMALE	ST	YES	NO	PG DMLT	56.00	NO	NA	NO	NO	NO	NO	REJECTED	NO COUNCIL REGISTRATION CERTIFICATE
89	112	MARATHE MAHESH MURALIDHAR	Lab Technician	11/01/1993	MALE	OPEN	NO	NO	ADMLT	64.85	NO	NA	NO	NO	NO	NO	REJECTED	NO COUNCIL REGISTRATION CERTIFICATE
90	113	MAVCHI SNEHAL DEVLYA	Lab Technician	01/12/2001	FEMALE	ST	YES	NO	PG DMLT	54.17	NO	NA	NO	NO	NO	NO	REJECTED	NO COUNCIL REGISTRATION CERTIFICATE
91	114	VASAVE VIKRAM DITYA	Lab Technician	10/05/1999	MALE	ST	YES	NO	DMLT	72.67	NO	NA	NO	NO	NO	NO	REJECTED	NO COUNCIL REGISTRATION CERTIFICATE
92	115	PATIL SURESH DATTA	Lab Technician	09/06/1987	MALE	OPEN	YES	NO	PG DMLT	85.00	NO	NA	NO	NO	NO	NO	REJECTED	NO COUNCIL REGISTRATION CERTIFICATE
93	116	GAVIT PRATIKSHA GORJI	Lab Technician	15/09/2001	FEMALE	ST	YES	NO	B.SC MLT	72.29	NO	NA	NO	NO	NO	NO	REJECTED	NO COUNCIL REGISTRATION CERTIFICATE
94	117	MARATHE POOJA VISHWASRAO	Lab Technician	24/04/1997	FEMALE	OPEN	NO	NO	B.SC	86.26	NO	NA	NO	NO	NO	NO	REJECTED	EDUCATION CRITERIA NOT FULFILLED
95	120	AHIRE SANDIP VIJAY	Lab Technician	06/10/1997	MALE	SC	YES	NO	DMLT	80.29	NO	NA	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATIN NOT ATTACHED
96	121	KAPURE SADANAND SURESH	Lab Technician	13/11/1986	MALE	SC	YES	NO	DMLT	66.13	NO	NA	NO	NO	NO	NO	REJECTED	NO COUNCIL REGISTRATION CERTIFICATE

SR.N O.	FOR M NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATERGOY	CASTE CERTIFIC ATE/ VALIDITY	NON CREAMY LAYER	12TH + DIPLOMA		ADDITIONAL QUALIFICATION		VALID REG. CERTI	REG. CERT. NO.	GOVT. EXPERIENCE		REMARK	REASON OF REJECTON
									QUALIFIC ATION	%	QUALIFI CATION	%			ORG.NAME	PERIOD IN YEARS		
97	122	GIRASE AVINASH PREMSING	Lab Technician	10/05/2002	MALE	OPEN	NO	NO	DMLT	78.00	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE
98	123	MANIYAR ALTAMASH ABBAS	Lab Technician	14/12/1997	MALE	OBC	NO	NO	DMLT	70.27	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE
99	124	KHAN SOHEL SAJID	Lab Technician	27/02/2000	MALE	OPEN	NO	NO	DMLT	52.25	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE
100	125	NIKUMBHE DNYANESHWAR SUKALAL	Lab Technician	04/04/2000	MALE	SC	YES	NO	HSC	59.23	NO	NA	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
101	127	AHIRE VIRAJBHAI PRAKASHBAI	Lab Technician	11/12/2000	MALE	OPEN	NO	NO	DMLT	64.95	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE
102	128	PAWARA DEVYANI DILWARSING	Lab Technician	03/10/2001	FEMALE	ST	YES	NO	B.SC LAB	75.79	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE
103	129	AHIRRAO MINAKSHI BHUSHAN	Lab Technician	09/07/1997	FEMALE	OPEN	YES	NO	MICRO BIO	69.00	NO	NA	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
104	130	VALVI SAYAN YASHAVANT	Lab Technician	03/06/1999	MALE	ST	YES	NO	PG DMLT	67.00	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE
105	132	MORE CHAITALT TUKARAM	Lab Technician	27/09/1999	FEMALE	NT B	NO	NO	PG DMLT	67.10	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE
106	133	VALVINIRANJAN KISMAT	Lab Technician	21/06/1992	MALE	ST	YES	NO	DMLT	60.57	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE
107	134	PADMOR MAHENDRA BHAGWAN	Lab Technician	07/12/2001	MALE	OPEN	YES	NO	B.SC LT	76.87	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE
108	135	VASAVE DIPAK HATYA	Lab Technician	15/06/1996	MALE	ST	YES	NO	M.SC	43.40	NO	NA	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
109	136	SHAIKH MUHAMMAD TALAHA ANTS AHMAD	Lab Technician	24/04/2002	MALE	OPEN	NO	NO	DMLT	70.71	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE
110	137	DEPRE LALIT RAVINDRA	Lab Technician	27/06/2000	MALE	OPEN	YES	NO	B SC DMLT	62.50	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE
111	138	PATIL MANSI VILASRAO	Lab Technician	04/10/2001	FEMALE	OPEN	YES	NO	B.SC MLT (Lab)	67.67	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE
112	139	WAGH DEEPAK TARIDAS	Lab Technician	09/09/1996	MALE	ST	YES	NO	DMLT	67.86	B.SC LT	75.86	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE
113	141	PAWAR SONALI CHAMPALAL	Lab Technician	25/05/1996	FEMALE	ST	YES	NO	DMLT	55.14	B.SC ZOOLOGY	79.10	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE
114	143	PATILVAISHALI KANTILAL	Lab Technician	12/01/1991	MALE	OPEN	NO	NO	DMLT	67.87	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE

SR.N O.	FOR M NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATERGOV	CASTE CERTIFIC ATE / VALIDITY	NON CREAMY LAYER	12TH + DIPLOMA		ADDITIONAL QUALIFICATION		VALID REG. CERTI	REG. CERT. NO.	GOVT. EXPERIENCE		REMARK	REASON OF REJECTON
									QUALIFIC ATION	%	QUALIFI CATION	%			ORG.NAME	PERIOD IN YEARS		
115	144	VADVI AKSHAYKUMAR LALSING	Lab Technician	13/09/1993	MALE	ST	YES	NO	DMLT	64.15	B.SC BOTANY	60.06	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE
116	145	VASAVE MANOHAR DASHRATH	Lab Technician	17/11/1995	MALE	ST	YES	NO	DMLT	56.33	M.SC ZOO	59.60	YES	DPGD/MLT /6036/2024	NO	NO	REJECTED	3 CHILD
117	147	MANSURY SAMIR MD SALIM	Lab Technician	15/04/1993	MALE	OBC	NO	NO	D.PHAM	55.82	TY .PHAM	71.97	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
118	148	VASAVE IELYA HOME	Lab Technician	09/06/1999	MALE	ST	YES	NO	DMLT	71.15	B.SC CHEM	68.71	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE
119	149	KOKANI LAHU NAKUL	Lab Technician	07/01/1994	FEMALE	ST	YES	NO	DMLT	59.14	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE
120	150	VALVI ROSHANI AJITSING	Lab Technician	29/09/2000	FEMALE	ST	YES	NO	DMLT	70.40	B SC ZOOLOGY	78.11	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE
121	151	ANSARI NAIM ANMED MOHAMMED KALIM	Lab Technician	21/12/1990	MALE	OPEN	NO	NO	DMLT	71.67	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION CERTI NO
122	152	VASAVE JYOTIBAI MAKATYA	Lab Technician	07/06/1994	FEMALE	ST	YES	NO	DMLT	65.71	NO	NA	NO	NO	NO	NO	REJECTED	REGISTRATION CERTI NO
123	154	NAVEJ VINESH SHANKAR	Lab Technician	04/05/1990	MALE	SC	YES	NO	DMLT	69.13	NO	NA	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATION CERTI NO
124	156	VALVI DHIRSING BOKHYA	Lab Technician	12/08/1991	MALE	ST	YES	NO	DMLT	68.50	B SC	64.79	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATION CERTI NO
125	157	NAYAK PUSHPA ARJUN	Lab Technician	15/10/1994	FEMALE	VJA	YES	NO	DMLT	74.73	NO	NA	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATIN NOT ATTACHED
126	158	VALVI VAISHALI PARESHKUMAR	Lab Technician	20/11/1993	FEMALE	OPEN	NO	NO	B.SC MICRO	70.22	NO	NA	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
127	159	SHARMA SHVETA NARESH	Lab Technician	11/06/2001	FEMALE	OPEN	NO	NO	DMLT	64.54	B SC	79.06	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATION CERTI NO
128	160	PAWAR HIMANSHO DINESH	Lab Technician	04/01/1999	MALE	OBC	YES	NO	B.SC CHEM	64.92	B SC MICRO	75.30	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
129	161	PAWARA KALPESH RAMBHAU	Lab Technician	01/05/1995	MALE	ST	YES	NO	DMLT	67.33	B.SC CHEM	78.80	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATION CERTI NO
130	162	DEORE ASHWINI SANJAY	Lab Technician	22/05/1996	FEMALE	SC	YES	NO	B.SC (MLT)	66.91	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE
131	163	PADVI NARESH PRAMRAJ	Lab Technician	12/09/2000	MALE	ST	YES	NO	DMLT	66.00	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE
132	164	CHAVAN VAISHALI DILIP	Lab Technician	08/01/1999	FEMALE	ST	YES	NO	DMLT	76.92	B SC BIO TECH	67.42	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATIN NOT ATTACHED

SR. NO.	FORM NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATEGORY	CASTE CERTIFICATE / VALIDITY	NON CREAMY LAYER	12TH + DIPLOMA		ADDITIONAL QUALIFICATION		VALID REG. CERTI	REG. CERTI. NO.	GOVT. EXPERIENCE		REMARK	REASON OF REJECTION
									QUALIFICATION	%	QUALIFICATION	%			ORG. NAME	PERIOD IN YEARS		
133	165	SHAIKH TABISH TABISH SAIKH AFZAL	Lab Technician	02/10/1991	MALE	OBC	NO	NO	DMLT	77.07	B SC CHEM	62.00	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATION CERTI NO
134	166	PAWARA ARTI DARASING	Lab Technician	01/05/2003	FEMALE	ST	YES	NO	MLT	57.80	NO	NA	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATION CERTI NO
135	167	SURYAVANSHI MAYUR RAJENDRA	Lab Technician	09/10/2002	MALE	OBC	YES	NO	DMLT	61.25	NO	NA	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATION CERTI NO
136	168	PAWARA JITENDRA DARASING	Lab Technician	03/03/1990	MALE	ST	YES	NO	DMLT	68.27	B SC MICRO	63.21	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATION CERTI NO
137	170	PIMPALE ANITA JITENDRA	Lab Technician	24/10/1988	FEMALE	SC	YES	NO	DMLT	66.33	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
138	171	VALVI RAJESH LALSING	Lab Technician	01/06/1995	MALE	ST	YES	NO	DMLT	81.00	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
139	172	SONAWANE ARJUN BHIKA	Lab Technician	12/01/1983	MALE	SBC	YES	NO	MLT	#DIV/0!	B A	50.67	NO	NO	NO	NO	REJECTED	NO MARK SHEET OF MLT, NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
140	174	MAHALE ROHINI SURESH	Lab Technician	13/07/1994	FEMALE	OBC	YES	NO	DMLT	88.25	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
141	175	PAWARA ANJALI CHIMA	Lab Technician	30/01/2003	FEMALE	ST	YES	NO	DMLT	82.50	NO	NA	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATION CERTI NO
142	176	NAIK SURAJ JALAMSING	Lab Technician	05/12/1994	MALE	ST	YES	NO	DMLT	72.07	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
143	177	PIMPALE SATISH LOTAN	Lab Technician	06/11/1993	MALE	SC	NO	NO	DMLT	59.43	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
144	179	CHAUDHARI GANESH KISAN	Lab Technician	28/08/1998	MALE	OBC	NO	NO	DMLT	55.43	P G DMLT	80.83	NO	NO	NO	NO	REJECTED	1) NO CAST CERTIFICATE 2) NO COUNCIL REGISTRATION CERTIFICATE
145	180	JANAVE SHANUVEL PRAKASH	Lab Technician	06/01/1994	MALE	ST	YES	NO	DMLT	75.00	P G DMLT	64.08	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATIN NOT ATTACHED
146	181	CHOUDHARI NEHA SUBHASH	Lab Technician	29/07/2000	FEMALE	ST	YES	NO	DMLT	80.00	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
147	182	QAZI NABILODDIN NAEEMODDIN	Lab Technician	28/08/2001	MALE	EWS	YES	NO	DMLT	75.00	B SC MICRO	72.20	NO	NO	NO	NO	REJECTED	1) EWS CERTIFICATE NOT VALID 2) NO COUNCIL REGISTRATION CERTIFICATE
148	183	PAWARA SANDIP KANHAIYALAL	Lab Technician	16/01/2000	MALE	ST	NO	NO	DMLT	71.38	B SC MICRO	74.73	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
149	184	JADHAV GAURAV MANGULAL	Lab Technician	07/06/1996	MALE	SEBC	YES	NO	DMLT	75.57	B SC MICRO	68.05	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
150	185	GULALE KALPANA RATILAL	Lab Technician	13/12/1984	FEMALE	SC	YES	NO	DMLT	56.13	B.SC CHEM	52.00	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE

Handwritten signature/initials

Handwritten signature/initials

SR. NO.	FORM NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATERGOY	CASTE CERTIFICATE / VALIDITY	NON CREAMY LAYER	12TH + DIPLOMA		ADDITIONAL QUALIFICATION		VALID REG. CERTI	REG. CERT. NO.	GOVT. EXPERIENCE		REMARK	REASON OF REJECTON
									QUALIFICATION	%	QUALIFICATION	%			ORG. NAME	PERIOD IN YEARS		
151	186	PAWARA SAGAR RAMESH	Lab Technician	19/08/2000	MALE	ST	YES	NO	DMLT	61.80	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
152	187	THAKARW URMILA RAJENDRA	Lab Technician	30/11/1998	FEMALE	ST	YES	NO	DMLT	88.83	B SC ZOOLOGY	76.75	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
153	188	KHARDE MAHIPAL BAHADUR	Lab Technician	01/06/1992	MALE	ST	NO	NO	DMLT	61.31	NO	NA	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATIN NOT ATTACHED
154	191	THAKARE JAYANDRA SARDAR	Lab Technician	15/05/1988	MALE	ST	YES	NO	DMLT	68.27	B SC CHEM	61.95	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
155	192	PADVI JATIN HIRALAL	Lab Technician	09/03/2000	MALE	ST	YES	NO	DMLT	72.00	B SC LT	75.32	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE . NOT AGE PROOF
156	195	PADVI NITESH JAGDISH	Lab Technician	01/01/1993	MALE	ST	YES	NO	B.SC	6.44	M SC	NA	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
157	196	PADVI ATUL JAGDISH	Lab Technician	27/09/1997	MALE	ST	YES	NO	HSC	55.85	NO	NA	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
158	197	PADVI AMARSING ANAVARSING	Lab Technician	27/02/1994	MALE	ST	YES	NO	TYBA	#DIV/0!	NO	NA	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT NO MARK SHEET
159	198	VALVE RAJESH JALAMSING	Lab Technician	14/05/1987	MALE	ST	YES	NO	DMLT	76.67	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
160	199	VALVI POOJA MALSING	Lab Technician	02/12/1999	FEMALE	ST	YES	NO	DMLT	68.80	NO	NA	NO	NO	1)MHANAGARPA LIKA NASHIK 2)MAHANAGARP	1)2 MONTH 11 DAY 2) 1 MONTH 25	REJECTED	NO COUNCIL REGISTRATION CERTI/ order not attached
161	200	GAVIT KAVITA JERAMYA	Lab Technician	06/04/1994	FEMALE	ST	YES	NO	B SC PMT (LAB)	56.67	NO	NA	NO	NO	NO	NO	REJECTED	NO COUNCIL REGISTRATION CERTI
162	201	MARATHE JAYESH SUNILRAO	Lab Technician	15/01/2002	MALE	OPEN	NO	NO	B.PHAM	#DIV/0!	NO	NA	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
163	202	THAKARE MOHANA PRAKASH	Lab Technician	10/06/1992	FEMALE	ST	YES	NO	DMLT	61.46	NO	NA	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATIN NOT ATTACHED
164	203	PATIL PRATIKSHA GOPICHAND	Lab Technician	06/06/1995	FEMALE	OBC	YES	NO	DMLT	61.29	M SC MICRO	62.05	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
165	204	SALVE KALPANA SURESH	Lab Technician	07/09/1999	FEMALE	SC	YES	NO	DMLT	89.50	NO	NA	NO	NO	NO	NO	REJECTED	NO COUNCIL REGISTRATION CERTI
166	205	SHRIKHANDI BHARTI ASHOK	Lab Technician	11/12/1996	FEMALE	OBC	YES	NO	TYBA	76.38	NO	NA	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
167	206	GAVIT PRITESH RAJESH	Lab Technician	30/10/1999	MALE	ST	YES	NO	DMLT	58.29	NO	NA	NO	NO	NO	NO	REJECTED	NO COUNCIL REGISTRATION CERTI
168	207	GAVIT NIKHIL ARJUN	Lab Technician	06/08/2000	MALE	ST	YES	NO	DMLT	60.71	NO	NA	NO	NO	NO	NO	REJECTED	NO COUNCIL REGISTRATION CERTI

SR.N O.	FOR M NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATERGOY	CASTE CERTIFIC ATE / VALIDITY	NON CREAMY LAYER	12TH + DIPLOMA		ADDITIONAL QUALIFICATION		VALID REG. CERTI	REG. CERTI. NO.	GOVT. EXPERIENCE		REMARK	REASON OF REJECTON
									QUALIFIC ATION	%	QUALIFI CATION	%			ORG.NAME	PERIOD IN YEARS		
169	208	VALVI KAILAS CHHAGAN	Lab Technician	22/02/1990	MALE	ST	YES	NO	DMLT	69.78	NO	NA	NO	NO	NO	NO	REJECTED	NO COUNCIL REGISTRATION CERTI
170	209	THAKARE AMIT SUDHAKAR	Lab Technician	22/05/1986	MALE	SC	YES	NO	DMLT	65.80	M.SC ZOO	53.30	NO	NO	NO	NO	REJECTED	NO COUNCIL REGISTRATION CERTI
171	210	BELDAR MOHD ZAID NAIMODDIN	Lab Technician	24/06/2001	MALE	NT B	NO	NO	DMLT	74.05	NO	NA	NO	NO	NO	NO	REJECTED	NO COUNCIL REGISTRATION CERTI NO MARK SHEET (PASSING CERIFICATE ONLY)
172	211	VALVI ANITA BARMA	Lab Technician	12/07/2001	FEMALE	ST	NO	NO	DMLT	67.75	NO	NA	NO	NO	NO	NO	REJECTED	NO COUNCIL REGISTRATION CERTI N
173	212	PAWARA NILA TARASING	Lab Technician	12/06/1997	FEMALE	ST	YES	NO	DMLT	73.73	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
174	213	VALVI SUJATA BAKARAM	Lab Technician	25/10/1999	FEMALE	ST	YES	NO	DMLT	54.57	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
175	214	PADVI VIJAY SHIVAJI	Lab Technician	22/10/2000	MALE	ST	YES	NO	DMLT	64.00	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
176	215	PAWARA MANISHA JOHARULAL	Lab Technician	16/08/1996	FEMALE	ST	YES	NO	B.SC PRAMEDICAL TECH(LAB)	60.17	NO	NA	NO	NO	NO	NO	REJECTED	COUNCIL REGISTRATIN NOT ATTACHED
177	216	PAWARA PUNAM LALSING	Lab Technician	05/11/1997	FEMALE	ST	YES	NO	DMLT	73.20	B.SC BIO TECH	58.75	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
178	217	PAWARA RATILAL GHUSAYADA	Lab Technician	09/11/1999	MALE	ST	YES	NO	DMLT	70.53	M.SC ZOO	71.70	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
179	218	CHUTE KUMUDINI SHRIDHAR	Lab Technician	17/11/2003	FEMALE	OBC	YES	NO	DMLT	63.81	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
180	219	SAJANKAR PRASHANI RATILAL	Lab Technician	24/09/1982	MALE	OBC	YES	NO	DMLT	62.20	B.SC CHEM	43.87	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
181	221	RAUT VIKI VASANT	Lab Technician	04/04/1999	MALE	ST	YES	NO	DMLT	73.58	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
182	222	PATIL ABHISHEK SHRIKANT	Lab Technician	08/06/1994	FEMALE	OBC	YES	NO	DMLT	70.31	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
183	223	KHAN DANISH ANIS	Lab Technician	16/02/1997	MALE	OPEN	NO	NO	DMLT	73.93	B SC CHEM	65.76	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
184	224	TELI GULMDASTAGIR SHBBIR	Lab Technician	01/01/1992	MALE	OPEN	NO	NO	DMLT	68.73	B SC CHEM	59.58	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
185	225	PAWAR SADHANA ROHIDAS	Lab Technician	25/06/1999	FEMALE	VJA	NO	NO	DMLT	73.23	B.SC BIO TECH	69.56	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE, NO D.D
186	226	GAVIT SUSHMITA SURESH	Lab Technician	20/02/2001	FEMALE	ST	YES	NO	B SC PMT (LAB)	62.00	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE

88


211


SR.N O.	FOR M NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATERGOY	CASTE CERTIFIC ATE / VALIDITY	NON CREAMY LAYER	12TH + DIPLOMA		ADDITIONAL QUALIFICATION		VALID REG. CERTI	REG. CERTI. NO.	GOVT. EXPERIENCE		REMARK	REASON OF REJECTON
									QUALIFIC ATION	%	QUALIFE CATION	%			ORG.NAME	PERIOD IN YEARS		
187	228	KHAN IMRAN AKHTAR KHAN	Lab Technician	03/05/1992	MALE	EWS	YES	NO	DMLT	56.80	M SC ZOO	53.05	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
188	229	DANDVEKAR BALAJI RATILAL	Lab Technician	11/08/1993	MALE	OPEN	NO	NO	DMLT	55.00	M.SC ZOO	52.10	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
189	230	PADVI SHRIKANT DEVISING	Lab Technician	12/07/1993	MALE	ST	YES	NO	DMLT	61.43	B.SC LT	86.00	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE. NO D D
190	231	SADARAO PARI SHAHUJ	Lab Technician	30/11/1999	FEMALE	OBC	YES	NO	TY B.SC	71.77	NO	NA	NO	NO	NO	NO	REJECTED	EDUCATION CRITERIA NOT FULFILLED. NO PARAMEDICAL CERTIFICATE
191	233	PISAL VARSHA MANOJ	Lab Technician	22/11/2002	FEMALE	OPEN	NO	NO	B.SC PMT (LAB)	66.67	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
192	235	SHAIKH MUZAMMIL MUSTUFA	Lab Technician	16/10/1998	MALE	OPEN	YES	NO	DMLT	67.47	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
193	236	PAWARA BINA KONYA	Lab Technician	13/03/1996	FEMALE	ST	YES	NO	DMLT	44.86	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
194	237	VASAVE JITENDRA PARATA	Lab Technician	01/01/1995	MALE	ST	YES	NO	B.COM	51.75	NO	NA	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
195	238	VASAVE MANSING NAKTYA	Lab Technician	02/07/1993	MALE	ST	YES	NO	HSC	49.67	NO	NA	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
196	239	VASAVE DILVAR VANSING	Lab Technician	04/05/1991	MALE	ST	YES	NO	HSC	57.67	NO	NA	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
197	240	VASAVE GAUTAM JANYA	Lab Technician	05/08/1990	MALE	ST	YES	NO	HSC	57.50	NO	NA	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
198	241	ALHAT PRADNYA PRALHAD	Lab Technician	20/08/2002	FEMALE	SC	YES	NO	DMLT	87.63	NO	NA	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
199	242	GAVIT ATUL PARESH	Lab Technician	19/12/1997	MALE	ST	YES	NO	DMLT	67.71	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL. REGISTRATION CERTIFICATE. NO D D
200	243	GIRASE MUKHESH JAGATSING	Lab Technician	21/01/1992	MALE	OPEN	YES	NO	DMLT	72.20	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
201	244	VASAVE GAJENDRA MANGATHA	Lab Technician	03/07/1993	MALE	ST	YES	NO	B SC MLT	65.23	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
202	246	WAGH SANDIP VASANT	Lab Technician	03/01/1987	MALE	OBC	YES	NO	DMLT	76.00	B SC ZOOLOGY	66.17	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
203	247	RAUT AKSHAY DEEPAKRAO	Lab Technician	05/02/1996	MALE	OBC	YES	NO	DMLT	66.15	B SC MENERA	56.51	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
204	248	SONAWANE LOKESH BHARATH	Lab Technician	13/01/2004	MALE	OBC	YES	NO	DMLT	89.88	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE

[Handwritten signature]


[Handwritten signature]


SR.N O.	FOR M NO	CANDIDATE NAME	POST NAME	DATE OF BIRTH	GENDER	APPLY CATERGOY	CASTE CERTIFIC ATE/ VALIDITY	NON CREAMY LAYER	12TH + DIPLOMA		ADDITIONAL QUALIFICATION		VALID REG. CERTI	REG. CERTI. NO.	GOVT. EXPERIENCE		REMARK	REASON OF REJECTON
									QUALIFIC ATION	%	QUALIFI CATION	%			ORG.NAME	PERIOD IN YEARS		
205	249	ZAGADE PALLAVI DATTATRAY	Lab Technician	04/03/2001	FEMALE	OBC	YES	NO	DMLT	79.31	B SC	83.41	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
206	250	SHAIKH MAIMODDIN KAMARODDIN	Lab Technician	30/05/1992	MALE	NT B	YES	NO	DMLT	69.60	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
207	252	MESHAM POONAM CHANDRABHAN	Lab Technician	29/06/2000	FEMALE	SC	YES	NO	B.SC ZOO	72.09	M.SC ZOO	55.02	NO	NO	NO	NO	REJECTED	QUALIFICATION NOT AS PER REQUIREMENT
208	254	PARMAR PANKAJ MAGAN	Lab Technician	08/08/1998	MALE	SC	YES	NO	DMLT	67.00	M SC	69.55	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
209	255	CHAUDHARI VISHAL MUKUND	Lab Technician	21/12/1996	MALE	OBC	YES	NO	DMLT	84.38	M.SC CHEM	70.00	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE
210	257	KALE AKASH GOPAL	Lab Technician	19/03/2001	MALE	ST	YES	NO	PG DMLT	63.05	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL CERTIFICATE, NO DD
211	258	KOTHARI RAJESH KASHINATH	Lab Technician	07/08/1999	MALE	ST	YES	NO	DMLT	66.75	NO	NA	NO	NO	NO	NO	REJECTED	NO PARAMEDICAL COUNCIL REGISTRATION CERTIFICATE


अति.जिल्हा आरोग्य अधिकारी तथा
जिल्हा कार्यक्रम व्यवस्थापक, रा.आ.अ.नि.प.नंदुरबार


जिल्हा माता व बाळसंगोपन अधिकारी
नि.प.नंदुरबार


जिल्हा आरोग्य अधिकारी,
नि.प.नंदुरबार


जिल्हा वैद्यकीय निरीक्षक,
नि.प.नंदुरबार


मुख्य कार्यकारी अधिकारी
नि.प.नंदुरबार